

Cardiometabolic Risk, Obesity & Inflammation: What Does it all Mean for Individuals Aging with Spinal Cord Injury?

Presented by Suzanne Groah, MD, MSPH

National Rehabilitation Hospital

June 3-4, 2010

Miami, FL

Cardiometabolic Risk

- The term ‘cardiometabolic risk’ has recently supplanted ‘metabolic syndrome’
- Better defines CVD and endocrine risks
- CMR represents unique combinations of risk factors that may impart a health hazard
- CMR clustering linked to CVD-related morbidity and mortality
 - Worsens non-linearly with the identification of additional risk factors₂

Cardiometabolic Risk


- Studies examining cardiometabolic syndrome have found that its principal clinical outcome is cardiovascular disease
- People who develop CVD do so based upon the synergies of multiple risk factors
- Many CMR factors and clustering are disturbingly prevalent in persons with SCI
- But is this commensurate with CVD?

Longitudinal Aging Evidence

- CVD is the leading cause of death in long-term SCI (30+ years)
- 35% of all deaths in those with SCI 60 and older
- After excluding deaths during the first year post-injury, CVD is the most common cause of death
- 41% of all deaths in the Boston Cohort

Study

Factors Contributing to Cardiometabolic Risk



Atherogenic Lipid Profile After SCI

- Normal total cholesterol
- Normal or elevated LDL
- Normal or elevated triglycerides
- **Consistently low HDL**
- Significantly elevated TC:HDL ratio

Insulin Resistance

- 1/3 – 1/2 of people with SCI live in a state of insulin resistance
 - Tetra > Para
- Physical inactivity, **obesity**, sympathetic dysfunction may be causes
- Often missed with routine testing

UNITED STATES OBESITY TRENDS

Obesity After SCI

- Obesity is at epidemic proportions
- Obesity is due to
 - Obligatory lean muscle loss
 - Blunted sympathetic NS
 - Positive energy balance
- Obesity is UNDERestimated by BMI in people with SCI
- Central adiposity is most strongly associated with cardiometabolic syndrome

Metabolic Syndrome after SCI

- Castillo, JSCM, 2007
 - N=487 veterans with SCI
 - Mean age 55.2 yrs, 48.7% tetraplegic
 - 56.5% BMI > 25 kg/m²
 - 37% dyslipidemia
 - 63.4% HDL < 40
 - 56.5 % hypertension
 - 44.8% metabolic syndrome
- Defined as central obesity + any 2 of the following:
 - TG ≥ 150 md/dl
 - Low HDL-C
 - High BP
 - Fasting glucose ≥ 100 md/dl

Attack of the Fat!

- Insulin resistance
- Hypertension
- Dyslipidemia
- Thromboembolism
- Inflammation


Inflammation

- Process by which body responds to injury or infection
- Important in the pathophysiology of atherosclerosis
 - CRP, hs-CRP
- Systemic inflammatory biomarkers predict cardiovascular events
- Atherosclerosis is accelerated in various inflammatory rheumatic diseases

Inflammation and Obesity

- Individuals genetically predisposed to high BMI have elevated CRP
- Adipose releases certain cytokines (IL-6) that stimulate the release of CRP
- CRP increases blood levels of cellular adhesion molecules, endothelin-1, and decreases NO
- Hence, atherosclerosis is a chronic inflammatory vascular condition

Acute Inflammation: Outcome



SCI and the Pro-Inflammatory State

- Added risk of systemic inflammation due to skin breakdown and infections
- Accelerates vascular wall stress and atherogenesis
- Recent attention on blood levels of pro-inflammatory cytokines as triggers for CVD
 - Several exceed cut-off scores for elevated CVD risk

Homocysteine and C-Reactive Protein Summary

- 44% of SCI patients studied in a large sample had a homocysteine level associated with an increased mortality ratio
- 62% of SCI patients studied had moderate to high CRP levels

KNOWLEDGE BASED ON RISK FACTORS AND NOT DISEASE STATUS

Importance of Prevention

- Obesity pandemic (SCI at greater risk)
 - Primary trigger for cardiometabolic risk clustering
- ATPIII guidelines identify obesity as the primary target for intervention in cardiometabolic syndrome
- Sensory deficits may mask acute cardiovascular symptoms and obscure disease progression
- More profound impact on the health, well-being, and function of persons with SCI than those without SCI

Questions

